

# 004 CUTTING AND GRINDING

**Sunny**



## 001 SUNNY CUTTING DISC 4" TO 7" - Taiwan

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-001-0991	0991	4" X 2MM X 16	A30TBF	10 (400)	
004-001-0992	0992	5" X 3MM X 22	A30TBF	50 (200)	
004-001-0993	0993	6" X 3MM X 22	A30TBF	50 (200)	
004-001-0994	0994	7" X 3MM X 22	A30TBF	50 (100)	

General purpose disc for all metal cutting application  
made of normal corundum  
medium hard bond  
for an optimal ratio between cutting performance and disc life

**Sunny**



## 001 SUNNY CUTTING DISC 10" TO 12" - Taiwan

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-001-0995	0995	10" X 3MM X 25.4	A30TBF	(25)	
004-001-0996	0996	12" X 3MM X 25.4	A30TBF	(25)	
004-001-0997	0997	14" X 3MM X 25.4	A30TBF	(25)	
004-001-0998	0998	16" X 3MM X 25.4	A30TBF	(25)	

General purpose disc for all metal cutting application  
made of normal corundum  
medium hard bond  
for an optimal ratio between cutting performance and disc life

**Sunny**



## 004 SUNNY SUPER SHARP CUTTING DISC 4" - Taiwan

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-004-0991A	0991A	4" X 1MM X 16	A60TBF	50 (500)	

Super thin fast cut cutting  
made of precious corundum  
the high performance range for metals and stainless steel

**Sunny**




## 005 SUNNY DOUBLE NET CUTTING DISC 4" - Taiwan

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-004-0991B	0991B	4" X 2MM X 16	A46TBF	10 (400)	

General purpose disc for all metal cutting application especially steel and cast  
made of normal corundum  
medium hard bond  
for an optimal ratio between cutting performance and disc life

**Sunny**



## 002 SUNNY GRINDING DISC 4" TO 7" - Taiwan

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-002-0999	0999	4" X 6MM X 16	A24Q4BF	25 (200)	
004-002-1000	1000	5" X 6MM X 22	A24Q4BF	25 (100)	
004-002-1001	1001	6" X 6MM X 22	A24Q4BF	25 (100)	
004-002-1002	1002	7" X 6MM X 22	A24Q4BF	25 (50)	

General purpose disc for all metal grinding application  
made of normal corundum  
medium hard bond  
for an optimal ratio between grinding performance and disc life

**Sunny**



## 003 SUNNY FLEX GRIND DISC 4" - Taiwan

STOCK CODE	OLD CODE	DIMENSION	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-003-0999A	0999A	4" X 2MM X 16	WA80	25 (200)	
004-003-0999B	0999B	4" X 2MM X 16	WA120	25 (200)	

Special discs for stainless steels  
made of semi precious corundum and aluminium oxide

**Sunny**



## 006 SUNNY RED MOP DISC FOR STEEL - Taiwan

STOCK CODE	OLD CODE	DIMENSION	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-006-3368A	3368A	4" x 16MM	A24	10 (200)	
004-006-3368	3368	4" x 16MM	A80	10 (200)	
004-006-3369	3369	4" x 16MM	A120	10 (200)	
004-006-3370	3370	4" x 16MM	A150	10 (200)	
004-006-3371	3371	4" x 16MM	A180	10 (200)	
004-006-3372	3372	4" x 16MM	A240	10 (200)	
004-006-3373	3373	4" x 16MM	A320	10 (200)	
004-006-3374	3374	4" x 16MM	A400	10 (200)	

High lasting and economical, glass fiber backing, brown aluminium oxide  
General purpose disc for steel, wood, plastic and marble application


**Sunny**



## 007 SUNNY BLUE MOP DISC FOR S.STEEL - Taiwan

STOCK CODE	OLD CODE	DIMENSION	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-007-3375	3375	4" x 16MM	ZA80	10 (200)	
004-007-3376	3376	4" x 16MM	ZA120	10 (200)	

High lasting and economical, glass fiber backing  
zirconia aluminium  
General purpose disc for steel, wood, plastic, marble and stainless steel application



## 011 GOLD ELEPHANT METAL CUTTING DISC 4" ~ 7" - China

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-011-EMC420	EMC420	4" X 2MM X 16	A46Q4BF	10 (600)	
004-011-EMC720	EMC720	7" X 2MM X 22.2	A46Q4BF	25 (200)	

General purpose disc for all metal cutting applications.  
made of normal grade corundum, medium hard bond.  
for an optimal ratio between grinding performance and disc life.



## 011 GOLD ELEPHANT METAL CUTTING DISC 12" ~ 14" - China

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-011-EMC1230	EMC1230	12" X 3MM X 25.4	A30QBF	(25)	
004-011-EMC1430	EMC1430	14" X 3MM X 25.4	A30QBF	(25)	
004-011-EMC1630	EMC1630	16" X 3MM X 25.4	A30QBF	(25)	

General purpose disc for all metal cutting applications.  
made of normal grade corundum, medium hard bond.  
for an optimal ratio between grinding performance and disc life.



## 012 GOLD ELEPHANT S.S CUTTING DISC 4" ~ 7" - China

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-012-ESC408	ESC408	4" X 0.8MM X 16	A60TBF	20 (800)	
004-012-ESC410	ESC410	4" X 1.0MM X 16	A46TBF	20 (800)	
004-012-ESC716	ESC716	7" X 1.6MM X 22	A46TBF	25 (300)	

Super thin fast cutting disc.  
Made of precious corundum  
the high performance range for metals and stainless steel.



## 012 GOLD ELEPHANT S.S CUTTING DISC 14" - China

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-012-ESC1430	ESC1430	14" X 3MM X 25.4	A30QBF	(25)	

General purpose disc for all metal, stainless steel cutting application.  
made of precious corundum, and added green filler to increase sharpness of disc,  
ideal for stainless steel purpose. medium hard bond.  
for an optimal ratio between cutting performance and disc life.



## 013 GOLD ELEPHANT DOMESTIC S.S CUTTING DISC 4" - China

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-013-ESS410	ESS410	4" X 1.0MM X 16	WA60TBF	20 (800)	
004-013-ESS412	ESS412	4" X 1.2MM X 16	WA60TBF	25 (800)	

Super thin fast-cut cutting disc.  
made of precious corundum.  
domestic grade.

# 004 CUTTING AND GRINDING



## 014 GOLD ELEPHANT METAL GRINDING DISC 4" ~ 7" - China

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-014-EEG460	EEG460	4" X 6.0MM X 16	A24QBF	25 (200)	
004-014-EMG460	EMG460	4" X 6.0MM X 16	A24Q4BF	10 (200)	
004-014-EMG760	EMG760	7" X 6.0MM X 22.2	A24Q4BF	10 (60)	

General purpose disc for all metal grinding applications.  
made of normal grade corundum, medium hard bond.  
for an optimal ratio between grinding performance and disc life.



## 015 GOLD ELEPHANT S.S GRINDING DISC 4" - China

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-015-ESG460	ESG460	4" X 6.0MM X 16	A30QBF	10 (200)	

Special disc for stainless steel and stainless steel casting.  
soft disc, made of precious corundum, aggressive.  
free from iron and sulphur.



## 016 GOLD ELEPHANT METAL FLEX GRIND DISC 4" - China

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-016-EFW430	EFW430	4" X 3.0MM X 16	AC60	25 (300)	

Special discs for castings made of iron, steel, non-ferrous metals and common metal.  
made of silicon carbide and aluminium oxide.



## 017 GOLD ELEPHANT S.S FLEX GRIND DISC 4" - China

STOCK CODE	OLD CODE	DIA X THICK X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-017-EFS430	EFS430	4" X 3.0MM X 16	WA80	25 (300)	

Special discs for stainless steels.  
made of semi precious corundum and aluminium oxide



## 018 GOLD ELEPHANT SURFACE FLAP DISC 4" - China

STOCK CODE	OLD CODE	DIA X BORE	GRADE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-018-EDM4060	EDM4060	4" X 16MM	A60	10 (300)	
004-018-EDM4080	EDM4080	4" X 16MM	A80	10 (300)	
004-018-EDM4100	EDM4100	4" X 16MM	A100	10 (300)	
004-018-EDM4120	EDM4120	4" X 16MM	A120	10 (300)	
004-018-EDM4180	EDM4180	4" X 16MM	A180	10 (300)	
004-018-EDM4240	EDM4240	4" X 16MM	A240	10 (300)	

Made of aluminium, rpm speed 15200, ms speed 80. universal use on all materials.  
very long service life and high stock removal rates.

# 004 CUTTING AND GRINDING

## 041 BRIAN TCT CIRCULAR SAW BLADE FOR WOOD - Japan

STOCK CODE	OLD CODE	DIAMETER	TEETHS	BORE/THICK	BOX (CTN)	UNIT PRICE (PCE) S\$
004-041-W04030	1923	4"	30T	20/2.2	1 (100)	
004-041-W04040	1924	4"	40T	20/2.2	1 (100)	
004-041-W06030	1925	6"	30T	25.4/2.2	1 (50)	
004-041-W06040	1926	6"	40T	25.4/2.2	1 (50)	
004-041-W06050	1927	6"	50T	25.4/2.2	1 (50)	
004-041-W06060	1928	6"	60T	25.4/2.2	1 (50)	
004-041-W07030	1929	7"	30T	25.4/2.2	1 (50)	
004-041-W07040	1930	7"	40T	25.4/2.2	1 (50)	
004-041-W07050	1931	7"	50T	25.4/2.2	1 (50)	
004-041-W07060	1932	7"	60T	25.4/2.2	1 (50)	
004-041-W07080	1933	7"	80T	25.4/2.2	1 (50)	
004-041-W08030	1934	8"	30T	25.4/2.4	1 (50)	
004-041-W08040	1935	8"	40T	25.4/2.4	1 (50)	
004-041-W08050	1936	8"	50T	25.4/2.4	1 (50)	
004-041-W08060	1937	8"	60T	25.4/2.4	1 (50)	
004-041-W08080	1938	8"	80T	25.4/2.4	1 (50)	
004-041-W09030	1939	9"	30T	25.4/2.8	1 (25)	
004-041-W09040	1940	9"	40T	25.4/2.8	1 (25)	
004-041-W09050	1941	9"	50T	25.4/2.8	1 (25)	
004-041-W09060	1942	9"	60T	25.4/2.8	1 (25)	
004-041-W09080	1943	9"	80T	25.4/2.8	1 (25)	
004-041-W09100	1944	9"	100T	25.4/2.8	1 (25)	
004-041-W10030	1945	10"	30T	25.4/2.8	1 (25)	
004-041-W10040	1946	10"	40T	25.4/2.8	1 (25)	
004-041-W10050	1947	10"	50T	25.4/2.8	1 (25)	
004-041-W10060	1948	10"	60T	25.4/2.8	1 (25)	
004-041-W10080	1949	10"	80T	25.4/2.8	1 (25)	
004-041-W10100	1950	10"	100T	25.4/2.8	1 (25)	
004-041-W12030	1951	12"	30T	25.4/3.0	1 (10)	
004-041-W12040	1952	12"	40T	25.4/3.0	1 (10)	
004-041-W12050	1953	12"	50T	25.4/3.0	1 (10)	
004-041-W12060	1954	12"	60T	25.4/3.0	1 (10)	
004-041-W12080	1955	12"	80T	25.4/3.0	1 (10)	
004-041-W12100	1956	12"	100T	25.4/3.0	1 (10)	
004-041-W14040	1957	14"	40T	25.4/3.2	1 (10)	
004-041-W14050	1958	14"	50T	25.4/3.2	1 (10)	
004-041-W14060	1959	14"	60T	25.4/3.2	1 (10)	
004-041-W14080	1960	14"	80T	25.4/3.2	1 (10)	
004-041-W14100	1961	14"	100T	25.4/3.2	1 (10)	
004-041-W14120	1962	14"	120T	25.4/3.2	1 (10)	
004-041-W16040	1963	16"	40T	25.4/3.2	1 (10)	
004-041-W16050	1964	16"	50T	25.4/3.2	1 (10)	
004-041-W16060	1965	16"	60T	25.4/3.2	1 (10)	
004-041-W16080	1966	16"	80T	25.4/3.2	1 (10)	
004-041-W16100	1967	16"	100T	25.4/3.2	1 (10)	
004-041-W16120	1968	16"	120T	25.4/3.2	1 (10)	

Feature:

carbide tipped cutting teeth, bright polished surface, shot blasted

longer life than steel blades

material made for cutting wood





## 042 BRIAN TCT CIRCULAR SAW BLADE FOR ALUM - Japan

STOCK CODE	OLD CODE	DIAMETER	TEETHS	BORE/THICK	BOX (CTN)	UNIT PRICE (PCE) S\$
004-042-A04040	3273	4"	40T	20/2.2		
004-042-A06060	3274	6"	60T	25.4/2.2		
004-042-A07072	3275	7"	72T	25.4/2.2		
004-042-A08080	3276	8"	80T	25.4/2.2		
004-042-A09080	3277	9"	80T	25.4/3.0		
004-042-A10120	3278	10"	120T	25.4/3.0		
004-042-A12120	3279	12"	120T	25.4/3.0		
004-042-A14120	3280	14"	120T	25.4/3.0		
004-042-A16120	3281	16"	120T	25.4/3.6		

BRIAN® TCT Circular Saw Blade For Alumimium

Carbide tipped cutting teeth, bright polished surface, shot blasted. Longer life than steel blades.



## 046 BRIAN TCT HOLE SAW FOR S.STEEL - Japan

STOCK CODE	OLD CODE	DIMENSION		MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-046-TCS16	1881A	16mm		TCS16	10 (200)	
004-046-TCS19	1881B	19mm		TCS19	10 (200)	
004-046-TCS20	1881C	20mm		TCS20	10 (200)	
004-046-TCS22	1881D	22mm		TCS22	10 (200)	
004-046-TCS25	1881E	25mm		TCS25	10 (200)	
004-046-TCS26	1881F	26mm		TCS26	10 (200)	
004-046-TCS28	1881G	28mm		TCS28	10 (200)	
004-046-TCS30	1881H	30mm		TCS30	10 (200)	
004-046-TCS32	1881I	32mm		TCS32	10 (200)	
004-046-TCS35	1881J	35mm		TCS35	10 (200)	
004-046-TCS38	1881K	38mm		TCS38	10 (200)	
004-046-TCS40	1881L	40mm		TCS40	10 (200)	
004-046-TCS42	1881M	42mm		TCS42	10 (200)	
004-046-TCS45	1881N	45mm		TCS45	10 (200)	
004-046-TCS48	1881O	48mm		TCS48	10 (200)	
004-046-TCS50	1881P	50mm		TCS50	10 (200)	

BRIAN® TCT ( Tungsten Carbide ) Hole Saw

This kind of metal Hole Saw can be used to machining various metal including cast iron, forgeable cast iron, stainless steel, structure steel, aluminum for alloying, bronze, copper, PVC acrylic aid plastic, and wood.



## 030 BRIAN HSS HOLE SAW - Taiwan

STOCK CODE	OLD CODE	DIMENSION		MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-030-HHS14	1867	14mm		HHS14	10 (200)	
004-030-HHS16	1868	16mm		HHS16	10 (200)	
004-030-HHS19	1869	19mm		HHS19	10 (200)	
004-030-HHS20	1870	20mm		HHS20	10 (200)	
004-030-HHS22	1871	22mm		HHS22	10 (200)	
004-030-HHS25	1872	25mm		HHS25	10 (200)	
004-030-HHS26	1873	26mm		HHS26	10 (200)	
004-030-HHS28	1873A	28mm		HHS28	10 (200)	
004-030-HHS30	1874	30mm		HHS30	10 (200)	
004-030-HHS32	1875	32mm		HHS32	10 (200)	
004-030-HHS35	1875A	35mm		HHS35	10 (200)	
004-030-HHS38	1876	38mm		HHS38	10 (100)	
004-030-HHS40	1877	40mm		HHS40	10 (100)	
004-030-HHS42	1878	42mm		HHS42	5 (50)	
004-030-HHS45	1879	45mm		HHS45	5 (50)	
004-030-HHS48	1880	48mm		HHS48	5 (50)	
004-030-HHS50	1881	50mm		HHS50	5 (50)	

Material : SKH-51

HSS Hole Saws (For Metal)

## 031 ELECTROPLATED DIAMOND BIT - Taiwan




STOCK CODE	OLD CODE	DIMENSION		MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-031-DB06	OS-0180A	6mm	30mm	DB06		
004-031-DB08	OS-0180B	8mm	30mm	DB08		
004-031-DB10	OS-0180C	10mm	30mm	DB10		
004-031-DB12	OS-0180D	12mm	30mm	DB12		
004-031-DB13	OS-0180E	13mm	30mm	DB13		
004-031-DB14	OS-0180F	14mm	30mm	DB14		
004-031-DB16	OS-0180G	16mm	30mm	DB16		
004-031-DB17	OS-0180H	17mm	30mm	DB17		
004-031-DB19	OS-0180I	19mm	30mm	DB19		
004-031-DB20	OS-0180J	20mm	30mm	DB20		
004-031-DB22	OS-0180K	22mm	30mm	DB22		
004-031-DB25	OS-0180L	25mm	30mm	DB25		
004-031-DB30	OS-0180M	30mm	30mm	DB30		
004-031-DB32	OS-0180N	32mm	30mm	DB32		
004-031-DB35	OS-0180O	35mm	30mm	DB35		
004-031-DB38	OS-0180P	38mm	30mm	DB38		
004-031-DB40	OS-0180Q	40mm	30mm	DB40		
004-031-DB50	OS-0180R	50mm	30mm	DB50		
004-031-DB55	OS-0180S	55mm	30mm	DB55		
004-031-DB60	OS-0180T	60mm	30mm	DB60		
004-031-DB65	OS-0180U	65mm	30mm	DB65		
004-031-DB70	OS-0180V	70mm	30mm	DB70		
004-031-DB75	OS-0180W	75mm	30mm	DB75		

Electroplated Diamond bits

For faster drilling. Cleaner finish. Minimal chipping.

# 004 CUTTING AND GRINDING



## 051 BRIAN WOOD AUGER BIT - Japan




STOCK CODE	OLD CODE	DIMENSION		MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-051-HAB06	1913	6MM	200	HAB06	24 (240)	
004-051-HAB08	1914	8MM	200	HAB08	24 (240)	
004-051-HAB10	1915	10MM	200	HAB10	24 (240)	
004-051-HAB13	1916	13MM	200	HAB13	12 (120)	
004-051-HAB14	1917	14MM	200	HAB14	12 (120)	
004-051-HAB16	1918	16MM	200	HAB16	12 (120)	
004-051-HAB19	1919	19MM	200	HAB19	12 (120)	
004-051-HAB22	1920	22MM	200	HAB22	6 (60)	
004-051-HAB25	1921	25MM	200	HAB25	6 (60)	
004-051-HAB28	1921B	28MM	200	HAB28	6 (60)	
004-051-HAB32	1921C	32MM	200	HAB32	6 (60)	
004-051-HAB38	1921D	38MM	200	HAB38	4 (40)	

Process: milled Finish: polished Material: carbon steel

For drilling on wood or plastic material

Hex shank



## 052 BRIAN SDS+ AUGER BIT - Japan




STOCK CODE	OLD CODE	DIMENSION		MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-052-SAB06	1913A	6MM	185	SAB06	12 (120)	
004-052-SAB08	1914A	8MM	185	SAB08	12 (120)	
004-052-SAB10	1915A	10MM	185	SAB10	12 (120)	
004-052-SAB13	1916A	13MM	200	SAB13	12 (120)	
004-052-SAB14	1917A	14MM	200	SAB14	12 (120)	
004-052-SAB16	1918A	16MM	200	SAB16	12 (120)	
004-052-SAB19	1919A	19MM	200	SAB19	12 (120)	
004-052-SAB22	1920A	22MM	200	SAB22	6 (60)	
004-052-SAB25	1921A	25MM	200	SAB25	6 (60)	

Process: milled Finish: polished Material: carbon steel

For drilling on wood or plastic material

SDS+ shank



## 053 BRIAN WOOD FLAT BIT - Japan



STOCK CODE	OLD CODE	DIMENSION		TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-053-WFB06	1740	6MM		WFB06		
004-053-WFB08	1741	8MM		WFB08		
004-053-WFB10	1742	10MM		WFB10		
004-053-WFB13	1743	13MM		WFB13		
004-053-WFB16	1744	16MM		WFB16		
004-053-WFB19	1745	19MM		WFB19		
004-053-WFB22	1746	22MM		WFB22		
004-053-WFB25	1747	25MM		WFB25		
004-053-WFB28	1748	28MM		WFB28		
004-053-WFB32	1749	32MM		WFB32		
004-053-WFB38	1750	38MM		WFB38		

Shank: Straight Shank Blade Material: 45#

Vertical Angle: Normal



# 004 CUTTING AND GRINDING



## 057 BRIAN 2PCS LOCK INSTALLATION KIT - Taiwan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (SET) S\$
004-057-2PLIK	1864	54MM		6 (48)	

2pcs Lock Installation Kit Hole saw, cup type 54mm with auger bit 22mm  
It is used for cutting wood board, plastic board, and plywood board



## 058 BRIAN 3PCS LOCK INSTALLATION KIT - Taiwan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (SET) S\$
004-058-3PLIK	1865	2-1/8"		10 (60)	

3pcs Lock Installation Kit Hole saw, cup type 2.1/8" with Flat bit 7/8"  
It is used for cutting wood board, plastic board, and plywood board



## 059 BRIAN BORING BIT - Germany

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-059-BBB35	1170	35MM			

Boring bit tools is absolutely clean and accurate boring in all kinds of wood.  
Carbide Tipped



## 100 7PCS HOLE SAW SET - Taiwan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (SET) S\$
004-100-7PHSS	0182	2" (50mm)		12 (72)	

Suitable for cutting holes in wood or plastic.

- Sizes: 1", 1.14", 1.1/2", 1.3/4", 2", 2.1/4", 2.1/2" • 1/4" Shank • 2" (50mm) Deep
- Aluminium mandrel holder with HSS pilot drill



## 045 BRIAN DIAMOND CUTTING WHEEL - Japan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-045-SS105	1982	105 x 1.8 x 2.0	DRY	10 (60)	

BRIAN® Diamond Cutting Wheel

Suitable for cutting various hard non-metallic materials, such as marble, granite, ceramic, hard concrete and bricks, etc.

# 004 CUTTING AND GRINDING

**BRAIN<sup>®</sup>**  
*Cut*



## 004 BRAINCUT DIAMOND CUTTING WHEEL - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
<b>004-044-E200</b>	3269	105x1.7x7x20mm	E200	10 (200)	

Most suitable for  
Tile, marble and lime-sandstone

**BRAIN<sup>®</sup>**  
*Cut*



## 004 BRAINCUT DIAMOND CUTTING WHEEL - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
<b>004-044-RX300</b>	3270	105x1.7x7x20mm	RX300	10 (200)	

Most suitable for  
Marble, lime-sandstone and granite

**BRAIN<sup>®</sup>**  
*Cut*



## 004 BRAINCUT DIAMOND CUTTING WHEEL - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
<b>004-044-SL500</b>	3271	105x1.7x9x20mm	SL500	10 (200)	

Most suitable for  
Lime-sandstone, granite and green concrete

**BRAIN<sup>®</sup>**  
*Cut*



## 004 BRAINCUT DIAMOND CUTTING WHEEL - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
<b>004-044-PT666</b>	3312	105x2.2x7x20mm	PT666	10 (200)	

Most suitable for  
Granite and green concrete

**BRAIN<sup>®</sup>**  
*Cut*



## 004 BRAINCUT DIAMOND CUTTING WHEEL - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
<b>004-044-PT777</b>	3313	105x2.1x7x20mm	PT777	10 (200)	

Most suitable for  
Very hard granite and asphalt

# 004 CUTTING AND GRINDING

**BRAIN<sup>®</sup>**  
*Cut*



## 004 BRAINCUT DIAMOND CUTTING WHEEL - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) \$\$
<b>004-044-PT888</b>	3314	105x1.9x7x20mm	PT888	10 (200)	

Most suitable for

Very hard granite, green concrete and asphalt

**BRAIN<sup>®</sup>**  
*Cut*



## 004 BRAINCUT DIAMOND CUTTING WHEEL - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) \$\$
<b>004-044-PT999</b>	3315	105x2.2x7x20mm	PT999	10 (200)	

Most suitable for

Green concrete, asphalt and reinforced concrete

**BRAIN<sup>®</sup>**  
*Cut*



## 007 BRAINCUT DIAMOND CUP WHEEL - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) \$\$
<b>004-047-4CUP</b>	3272	105x5.0x8x20mm	4CUP	10 (20)	

Most suitable for

Granite, hard marble, engineered/natural stone, and hard (cured) concrete.

Excellent for smoothing rough surfaces, leaving uneven spots

Segments contain high concentration of premium quality diamonds to ensure the longest grinding life

**BRAIN<sup>®</sup>**  
*Cut*



## 004 BRAINCUT DIAMOND CUTTING WHEEL - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) \$\$
<b>004-044-7TUBRO</b>	3316	180x2.4x7x22mm	7TUBRO	10 (200)	

Most suitable for

Very hard granite and green concrete

**BRAIN<sup>®</sup>**  
*Cut*



## 008 BRAINCUT ASPHALT CUTTING WHEEL - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) \$\$
<b>004-044-14ASPHALT</b>	3316A	355x27mm	14ASPHALT	1 (10)	

Most suitable for

Asphalt and concrete cutting

Fast cutting speed without chipping.



## 043 TCT MULTICUTTER BLADE - Japan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-043-MTC420	1677	4"(100) x 20T		1 (150)	
004-043-MTC440	1678	4"(100) x 40T		1 (150)	

Tungsten carbide tipped

Cutting applications:

PVC pipe, fibre glass, slate, aluminium extrusion, plywood and partical board, etc.

木井行  
MUJINGFANG



## 220 MJF WOOD PLANER 5" - Hong Kong

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-220-H50	0987	5"	H50	10 (50)	

AH1051-155 Hong Kong Style Planer

Size: 5 Inch x 1.3/4 Inch Blade: 1.1/4 Inch

Plane body is made of high edony and rose wood

Plane blade is made of high speed steel



木井行  
MUJINGFANG



## 220 MJF WOOD PLANER 7" - Hong Kong

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-220-S95	0988	7"	S95	1 (24)	

EH1055-133 Hong Kong Style Planer

Size: 7 Inch x 2.3/4 Inch Blade: 2 Inch

Plane body is made of high edony and rose wood

Plane blade is made of high speed steel



木井行  
MUJINGFANG



## 220 MJF WOOD PLANER 9.5" - Hong Kong

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-220-H70	0989	9.5"	H70	1 (25)	

EP1151-133 Singapore Style Planer

Size: 9.5 Inch x 2.3/4 Inch Blade: 2 Inch

Plane body is made of high edony and rose wood

Plane blade is made of high speed steel



木井行  
MUJINGFANG



## 220 MJF WOOD PLANER 11.5" - Hong Kong

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-220-S115	0990	11.5"	S115	1 (25)	

EP1153-133 Singapore Style Planer

Size: 11.5 Inch x 2.3/4 Inch Blade: 2 Inch

Plane body is made of high edony and rose wood

Plane blade is made of high speed steel



# 004 CUTTING AND GRINDING

UPDATED ON 130417

**HITZ™**



## 081 HITZ DC PRO TILE CUTTER - Japan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-081-MD4402	MD440-2	16"(400mm)		1 (4)	

Die cast base professional tile cutter  
Two rails

**HITZ™**



## 082 HITZ DC PRO TILE CUTTER - Japan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-082-MD540A1	MD540A-1	20"(500mm)		1 (4)	

Die cast base professional tile cutter  
Single aluminium rail

**HITZ™**



## 083 HITZ DC PRO TILE CUTTER (NEW) - Japan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-083-MD680B1N	MD680B-1(N)	24"(600mm)		1 (2)	

Die cast base professional tile cutter  
Single aluminium rail, ergonomic design  
Durable one piece structure  
More stable, 100% satisfaction guaranteed



**HITZ™**



## 083A HITZ PRO TILE CUTTER (NEW) - Japan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-083A-MA624	MA624	24"(600mm)		1 (2)	

**HITZ™**



## 084 HITZ AB PRO TILE CUTTER - Japan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-084-MA660B1N	MA660B-1(N)	24"(600mm)		1 (2)	
004-084-MA760B1N	MA760B-1(N)	28"(700mm)		1 (2)	
004-084-MA860B1N	MA860B-1(N)	32"(800mm)		1 (2)	
004-084-MA1060B1N	MA1060B-1(N)	40"(1000mm)		1 (2)	
004-084-MA1260B1N	MA1260B-1(N)	48"(1200mm)		1 (2)	

Aluminium base professional tile cutter  
Single aluminium rail, extension arms

**HITZ™**



## 085 HITZ TUNGSTEN REPLACE WHEEL - Japan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (CARD) S\$
004-085-MDA215	MDA-215	22x10mm		1 (12)	

Replaceable tungsten alloy cutting wheel



## 055 BRIAN PRO HAND SAW - Japan

STOCK CODE	OLD CODE	DIMENSION		TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-055-BHS40	BHS40	16"	7T/8P	UT tooth	6 (60)	
004-055-BHS45	BHS45	18"	7T/8P	UT tooth	6 (60)	
004-055-BHS50	BHS50	20"	7T/8P	UT tooth	6 (60)	
004-055-BHS55	BHS55	22"	5T/6P	UT tooth	6 (60)	
004-055-BHS60	BHS60	24"	5T/6P	UT tooth	6 (60)	

Hardpoint UT teeth for long life - plastic handle incorporating 45 degree and 90 degree angles ideal for cutting most timber products - e.g chipboard, blockboard, hard or softwoods



## 056 BRIAN PRO WALL BOARD SAW - Japan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-056-BS1893	1893	6.1/2"	2 IN 1	12 (60)	

6½" Wall & Plaster Board Saw A conventional sabre style knife saw

One of the best ways of cutting & trimming plasterboard.

170mm long, Blade is tapered with hardened cutting teeth Instant punch through point pierces the board without the need for pre-drilling Comfort grip handle



## 060 BRIAN PRO BOW SAW FRAME - Portugal

STOCK CODE	OLD CODE	ART. NOS	SIZE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-060-61024	BBS61	25NP-12-610MM	24"	1 (5)	
004-060-75830	BBS76	25NP-12-762MM	30"	1 (5)	

The ergonomic integrated handle makes sawing effortless and comfortable.

The virtually unbreakable hand guard makes knuckle injuries a thing of the past.

Tubular Steel Bowsaw give equally good cutting performance on dry timbers as well as green wood Suitable for gardeners, builders, farmers and DIY etc



## 061 BRIAN PRO BOW SAW BLADE - Portugal

STOCK CODE	OLD CODE	ART. NOS	SIZE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-061-61024	BBS61-B	REF 12-610MM	24"	10 (200)	
004-061-75830	BBS76-B	REF 12-762MM	30"	10 (200)	

Hardpoint UT toothing : Ref 12

Tooth points high-frequency, heat-induction hardened for long-lasting performance.

For cutting dry, seasoned wood, as well as for cross-cutting fresh, green wood



## 192 HANS BOW SAW FRAME & BLADE - Taiwan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-192-PFF600	3282	BOW SAW FRAME	PFF600	6 (24)	
004-192-HBB24	3282A	BOW SAW BLADE	24"	50 (200)	

Hardened steel blade

Lightweight tubular steel frame

Safety tension lever



# 004 CUTTING AND GRINDING



## 187 HANS TREE PRUNER - Taiwan


STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-0187-GS2103	0936	14" SAW BLADE	GS2103	1 (24)	

Carbon steel harden blade  
14" saw blade for cutting large branches  
Fully assembled and ready to use.



## 188 HANS TUBULAR HACKSAW - Taiwan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-188-TBS300	3157A	12" (300mm)	TBS300	4 (40)	



## 189 HANS HACKSAW FRAME - Taiwan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-189-HSF300	3157B	8"~12"	HSF300	12 (36)	



## 190 HANS JUNIOR HACKSAW FRAME - Taiwan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-190-MHF150	3158	6" (Plastic Handle)	MHF150	6 (60)	



## 240 JUNIOR HACKSAW FRAME - India

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-240-JHF150	3157	6" (150mm)	JHF150	12 (300)	



## 191 HANS JUNIOR HACKSAW BLADE - Taiwan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (CARD) S\$
004-191-JHB06	3158A	6" @10pcs	JHB06	10 (150)	

# 004 CUTTING AND GRINDING

**ULTRA**



## 194 ULTRA FLEX HACKSAW BLADE - France

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-194-UTF1218	1173	12" x ½" x 18T		100 (4000)	
004-194-UTF1224	1174	12" x ½" x 24T		100 (4000)	
004-194-UTF1232	1175	12" x ½" x 32T		100 (4000)	

Super Speed Flexible

**ULTRA**



## 195 ULTRA MAJOR HACKSAW BLADE - France

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-195-UTM1218	1176	12" x ½" x 18T		100 (4000)	
004-195-UTM1224	1177	12" x ½" x 24T		100 (4000)	

HSS All Hard Flexible

**LENOX**



## 230 LENOX BI METAL HACKSAW BLADE - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-230-LE1218	LE1218	12" x ½" x 18T	LE1218	100 (3000)	
004-230-LE1224	LE1224	12" x ½" x 24T	LE1224	100 (3000)	
004-230-LE1232	LE1232	12" x ½" x 32T	LE1232	100 (3000)	

Bi-metal construction allows blades to bend and flex without breaking  
Shatter Resistant, Extended Life

## 200 SWORDFISH HACKSAW BLADE - China

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (GRS) S\$
004-200-SF1218	1424	12" x ½" x 18T		0.5 (10)	
004-200-SF1224	1425	12" x ½" x 24T		0.5 (10)	

High carbon steel C1020



**BRIAN**  
Trusted By Professionals



## 154 BRIAN OIL GLASS CUTTER - Japan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-154-NS055	1818	180MM		6 (240)	

Professional tool use for cutting tile & glass,  
this cutter is made to a special structure



# 004 CUTTING AND GRINDING



## 130 BRAIN HSS DRILL BIT SET (29PCS) - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (SET) S\$
004-130-SXS29I	2662	1/16" to 1/2"		1 (20)	

29pcs hss drill bit set. Imperial sizes: 1/16" to 1/2" x 1/64"

Rolled & polished, bright finish

For metal-wood-plastic



## 130 BRAIN HSS DRILL BIT SET (25PCS) - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (SET) S\$
004-130-SXS25M	2661	1.0 to 13.0mm		1 (20)	

25pcs hss drill bit set. Metric sizes: 1.0 to 13.0mm x 0.5

Rolled & polished, bright finish

For metal-wood-plastic



## 130 BRAIN HSS DRILL BIT SET (21PCS) - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (SET) S\$
004-130-SXS21I	2660	1/16" to 3/8"			

21pcs hss drill bit set. Imperial sizes: 1/16" to 3/8" x 1/64"

Rolled & polished, bright finish

For metal-wood-plastic



## 130 BRAIN HSS DRILL BIT SET (19PCS) - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (SET) S\$
004-130-SXS19M	2659	1.0 to 10.0mm			

19pcs hss drill bit set. Metric sizes: 1.0 to 10.0mm x 0.5

Rolled & polished, bright finish

For metal-wood-plastic



## 130 BRAIN HSS DRILL BIT SET (13PCS) - USA

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (SET) S\$
004-130-SXS13M	2657	1.5 to 6.5mm		10 (100)	
004-130-SXS13I	2658	1/16" to 1/4"		10 (100)	

13pcs hss drill bit set.

Metric sizes: 1.5 to 6.5mm x 0.5

Imperial sizes: 1/16" to 1/4" x 1/64"

Rolled & polished, bright finish

For metal-wood-plastic


# 004 CUTTING AND GRINDING



## 121 BRAIN JOBBER HSS DRILL (METRIC) - USA

STOCK CODE	OLD CODE	DIA.	O/L(MM)	TYPE	BOX (CTN)	UNIT PRICE (PCE) \$S
004-121-SX1.0	2612	1.0mm	34		10 ( )	
004-121-SX1.5	2613	1.5mm	40		10 ( )	
004-121-SX2.0	2614	2.0mm	49		10 ( )	
004-121-SX2.5	2615	2.5mm	57		10 ( )	
004-121-SX3.0	2616	3.0mm	61		10 ( )	
004-121-SX3.2	2616A	3.2mm	63		10 ( )	
004-121-SX3.3	2616B	3.3mm	65		10 ( )	
004-121-SX3.5	2617	3.5mm	70		10 ( )	
004-121-SX3.8	2617A	3.8mm	75		10 ( )	
004-121-SX4.0	2618	4.0mm	75		10 ( )	
004-121-SX4.2	2618A	4.2mm	75		10 ( )	
004-121-SX4.5	2619	4.5mm	80		10 ( )	
004-121-SX5.0	2620	5.0mm	86		10 ( )	
004-121-SX5.5	2621	5.5mm	93		10 ( )	
004-121-SX6.0	2622	6.0mm	93		10 ( )	
004-121-SX6.5	2623	6.5mm	101		10 ( )	
004-121-SX7.0	2624	7.0mm	109		10 ( )	
004-121-SX7.5	2625	7.5mm	109		10 ( )	
004-121-SX8.0	2626	8.0mm	117		5 ( )	
004-121-SX8.5	2627	8.5mm	117		5 ( )	
004-121-SX9.0	2628	9.0mm	125		5 ( )	
004-121-SX9.5	2629	9.5mm	125		5 ( )	
004-121-SX10.0	2630	10.0mm	133		5 ( )	
004-121-SX10.5	2631	10.5mm	133		5 ( )	
004-121-SX11.0	2632	11.0mm	142		5 ( )	
004-121-SX11.5	2633	11.5mm	142		5 ( )	
004-121-SX12.0	2634	12.0mm	151		5 ( )	
004-121-SX12.5	2635	12.5mm	151		5 ( )	
004-121-SX13.0	2636	13.0mm	151		5 ( )	


High speed steel made. DIN 338 standard. 118 degree point angle. Metric sizes



## 122 BRAIN JOBBER HSS DRILL (IMPERIAL) - USA

STOCK CODE	OLD CODE	DIA.	O/L(INCH)	TYPE	BOX (CTN)	UNIT PRICE (PCE) \$S
004-122-SX1/16	2637	1/16"	1-7/8"		10 ( )	
004-122-SX5/64	2638	5/64"	2"		10 ( )	
004-122-SX3/32	2639	3/32"	2-1/4"		10 ( )	
004-122-SX7/64	2640	7/64"	2-5/8"		10 ( )	
004-122-SX1/8	2641	1/8"	2-3/4"		10 ( )	
004-122-SX9/64	2642	9/64"	2-7/8"		10 ( )	
004-122-SX5/32	2643	5/32"	3-1/8"		10 ( )	
004-122-SX11/64	2644	11/64"	3-1/4"		10 ( )	
004-122-SX3/16	2645	3/16"	3-1/2"		10 ( )	
004-122-SX13/64	2646	13/64"	3-5/8"		10 ( )	
004-122-SX7/32	2647	7/32"	3-3/4"		10 ( )	
004-122-SX15/64	2648	15/64"	3-7/8"		10 ( )	
004-122-SX1/4	2649	1/4"	4"		10 ( )	
004-122-SX17/64	2650	17/64"	4-1/8"		10 ( )	
004-122-SX9/32	2651	9/32"	4-1/4"		5 ( )	
004-122-SX19/64	2652	19/64"	4-3/8"		5 ( )	
004-122-SX5/16	2653	5/16"	4-1/2"		5 ( )	
004-122-SX3/8	2654	3/8"	5"		5 ( )	
004-122-SX7/16	2655	7/16"	5-1/2"		5 ( )	
004-122-SX1/2	2656	1/2"	6"		5 ( )	

High speed steel made. DIN 338 standard. 118 degree point angle. Imperial sizes.



# 004 CUTTING AND GRINDING

**BRAIN**<sup>®</sup>  
The Name You Can Always Trust




## 123 BRAIN REDUCED HSS DRILL BIT - USA

STOCK CODE	OLD CODE	DIA.	O/L(MM)	SHANK	BOX (CTN)	UNIT PRICE (PCE) S\$
004-123-RX14.0	2716	14.0mm	150	3/8"	1 (50)	
004-123-RX14.5	2717	14.5mm	150	3/8"	1 (50)	
004-123-RX15.0	2718	15.0mm	150	3/8"	1 (50)	
004-123-RX15.5	2719	15.5mm	150	1/2"	1 (50)	
004-123-RX16.0	2720	16.0mm	150	1/2"	1 (50)	
004-123-RX16.5	2721	16.5mm	150	1/2"	1 (50)	
004-123-RX17.0	2722	17.0mm	150	1/2"	1 (50)	
004-123-RX17.5	2723	17.5mm	150	1/2"	1 (50)	
004-123-RX18.0	2724	18.0mm	150	1/2"	1 (50)	
004-123-RX18.5	2725	18.5mm	150	1/2"	1 (50)	
004-123-RX19.0	2726	19.0mm	150	1/2"	1 (50)	
004-123-RX19.5	2727	19.5mm	150	1/2"	1 (50)	
004-123-RX20.0	2728	20.0mm	150	1/2"	1 (50)	
004-123-RX20.5	2729	20.5mm	150	1/2"	1 (50)	
004-123-RX21.0	2730	21.0mm	150	1/2"	1 (50)	
004-123-RX21.5	2731	21.5mm	150	1/2"	1 (50)	
004-123-RX22.0	2732	22.0mm	150	1/2"	1 (50)	
004-123-RX22.5	2733	22.5mm	150	1/2"	1 (50)	
004-123-RX23.0	2734	23.0mm	150	1/2"	1 (50)	
004-123-RX23.5	2735	23.5mm	150	1/2"	1 (50)	
004-123-RX24.0	2736	24.0mm	150	1/2"	1 (50)	
004-123-RX24.5	2737	24.5mm	150	1/2"	1 (50)	
004-123-RX25.0	2738	25.0mm	150	1/2"	1 (50)	
004-123-RX25.5	2739	25.5mm	150	1/2"	1 (50)	
004-123-RX26.0	2740	26.0mm	150	1/2"	1 (50)	
004-123-RX26.5	2741	26.5mm	150	1/2"	1 (50)	
004-123-RX27.0	2742	27.0mm	150	1/2"	1 (50)	
004-123-RX27.5	2743	27.5mm	150	1/2"	1 (50)	
004-123-RX28.0	2744	28.0mm	150	1/2"	1 (50)	
004-123-RX28.5	2745	28.5mm	150	1/2"	1 (50)	
004-123-RX29.0	2746	29.0mm	150	1/2"	1 (50)	
004-123-RX29.5	2747	29.5mm	150	1/2"	1 (50)	
004-123-RX30.0	2748	30.0mm	150	1/2"	1 (50)	
004-123-RX30.5	2749	30.5mm	150	1/2"	1 (50)	
004-123-RX31.0	2750	31.0mm	150	1/2"	1 (50)	
004-123-RX31.5	2751	31.5mm	150	1/2"	1 (50)	
004-123-RX32.0	2752	32.0mm	150	1/2"	1 (50)	
004-123-RX9/16	2752A	9/16"	150	3/8"	1 (50)	
004-123-RX5/8	2752B	5/8"	150	1/2"	1 (50)	
004-123-RX11/16	2752C	11/16"	150	1/2"	1 (50)	
004-123-RX3/4	2752D	3/4"	150	1/2"	1 (50)	
004-123-RX13/16	2752E	13/16"	150	1/2"	1 (50)	
004-123-RX7/8	2752F	7/8"	150	1/2"	1 (50)	
004-123-RX15/16	2752G	15/16"	150	1/2"	1 (50)	
004-123-RX1	2752H	1"	150	1/2"	1 (50)	
004-123-RX1.1/8	2752I	1.1/8"	150	1/2"	1 (50)	

HSS reduced shank twist drills - metric & fractional


1. Conforms with ANSI standard
2. 118° point angle
3. Industrial quality





## 124 BRAIN TAPER SHANK HSS DRILL BIT - USA

STOCK CODE	OLD CODE	DIA.	W.L/O.L (MM)	MORSE TAPER	BOX (CTN)	UNIT PRICE (PCE) S\$
004-124-TX10.0	2662A	10.0	87/168	1 MT	1 (25)	
004-124-TX10.5	2662B	10.5	87/168	1 MT	1 (25)	
004-124-TX11.0	2662C	11.0	94/175	1 MT	1 (25)	
004-124-TX11.5	2662D	11.5	94/175	1 MT	1 (25)	
004-124-TX12.0	2662E	12.0	101/182	1 MT	1 (25)	
004-124-TX12.5	2662F	12.5	101/182	1 MT	1 (25)	
004-124-TX13.0	2662G	13.0	101/182	1 MT	1 (25)	
004-124-TX13.5	2662H	13.5	108/189	1 MT	1 (25)	
004-124-TX14.0	2663	14.0	108/189	1 MT	1 (25)	
004-124-TX14.5	2664	14.5	114/212	2 MT	1 (25)	
004-124-TX15.0	2665	15.0	114/212	2 MT	1 (25)	
004-124-TX15.5	2666	15.5	120/218	2 MT	1 (25)	
004-124-TX16.0	2667	16.0	120/218	2 MT	1 (25)	
004-124-TX16.5	2668	16.5	125/223	2 MT	1 (25)	
004-124-TX17.0	2669	17.0	125/223	2 MT	1 (25)	
004-124-TX17.5	2670	17.5	130/228	2 MT	1 (25)	
004-124-TX18.0	2671	18.0	130/228	2 MT	1 (25)	
004-124-TX18.5	2672	18.5	135/233	2 MT	1 (25)	
004-124-TX19.0	2673	19.0	135/233	2 MT	1 (25)	
004-124-TX19.5	2674	19.5	140/238	2 MT	1 (25)	
004-124-TX20.0	2675	20.0	140/238	2 MT	1 (25)	
004-124-TX20.5	2676	20.5	145/243	2 MT	1 (25)	
004-124-TX21.0	2677	21.0	145/243	2 MT	1 (25)	
004-124-TX21.5	2678	21.5	150/248	2 MT	1 (25)	
004-124-TX22.0	2679	22.0	150/248	2 MT	1 (25)	
004-124-TX22.5	2680	22.5	155/253	2 MT	1 (25)	
004-124-TX23.0	2681	23.0	155/253	2 MT	1 (25)	
004-124-TX23.5	2682	23.5	155/276	3 MT	1 (25)	
004-124-TX24.0	2683	24.0	160/281	3 MT	1 (25)	
004-124-TX24.5	2684	24.5	160/281	3 MT	1 (25)	
004-124-TX25.0	2685	25.0	160/281	3 MT	1 (25)	
004-124-TX25.5	2686	25.5	165/286	3 MT	1 (25)	
004-124-TX26.0	2687	26.0	165/286	3 MT	1 (25)	
004-124-TX26.5	2688	26.5	165/286	3 MT	1 (25)	
004-124-TX27.0	2689	27.0	170/291	3 MT	1 (25)	
004-124-TX27.5	2690	27.5	170/291	3 MT	1 (25)	
004-124-TX28.0	2691	28.0	170/291	3 MT	1 (25)	
004-124-TX28.5	2692	28.5	170/291	3 MT	1 (25)	
004-124-TX29.0	2693	29.0	175/296	3 MT	1 (25)	
004-124-TX29.5	2694	29.5	175/296	3 MT	1 (25)	
004-124-TX30.0	2695	30.0	175/296	3 MT	1 (25)	



1. Roll forged, black oxide finish
2. 118° point angle, right-hand cut
3. Conforms with ANSI B94. 11M standard




## 124 BRAIN TAPER SHANK HSS DRILL BIT - USA (CONTINUE)



STOCK CODE	OLD CODE	DIA.	W.L/O.L (MM)	MORSE TAPER	BOX (CTN)	UNIT PRICE (PCE) S\$
004-124-TX30.5	2696	30.5	180/301	3 MT	1 (25)	
004-124-TX31.0	2697	31.0	180/301	3 MT	1 (25)	
004-124-TX31.5	2698	31.5	180/301	3 MT	1 (25)	
004-124-TX32.0	2699	32.0	185/334	4 MT	1 (25)	
004-124-TX32.5	2700	32.5	185/334	4 MT	1 (25)	
004-124-TX33.0	2701	33.0	185/334	4 MT	1 (25)	
004-124-TX33.5	2702	33.5	185/334	4 MT	1 (25)	
004-124-TX34.0	2703	34.0	190/339	4 MT	1 (25)	
004-124-TX34.5	2704	34.5	190/339	4 MT	1 (25)	
004-124-TX35.0	2705	35.0	190/339	4 MT	1 (25)	
004-124-TX35.5	2706	35.5	190/339	4 MT	1 (25)	
004-124-TX36.0	2707	36.0	195/344	4 MT	1 (25)	
004-124-TX36.5	2708	36.5	195/344	4 MT	1 (25)	
004-124-TX37.0	2709	37.0	195/344	4 MT	1 (25)	
004-124-TX37.5	2710	37.5	195/344	4 MT	1 (25)	
004-124-TX38.0	2711	38.0	200/349	4 MT	1 (25)	
004-124-TX38.5	2712	38.5	200/349	4 MT	1 (25)	
004-124-TX39.0	2713	39.0	200/349	4 MT	1 (25)	
004-124-TX39.5	2714	39.5	200/349	4 MT	1 (25)	
004-124-TX40.0	2715	40.0	200/349	4 MT	1 (25)	

1. Roll forged, black oxide finish
2. 118° point angle, right-hand cut
3. Conforms with ANSI B94. 11M standard



## 127 BRAIN GLASS DRILL BIT - USA



STOCK CODE	OLD CODE	DIA.		O/L(MM)	BOX (CTN)	UNIT PRICE (PCE) S\$
004-127-BGD030	BGD030	3.0	1/8"	62	1 (100)	
004-127-BGD040	BGD040	4.0	5/32"	65	1 (100)	
004-127-BGD050	BGD050	5.0	3/16"	65	1 (100)	
004-127-BGD060	BGD060	6.0	15/64"	65	1 (100)	
004-127-BGD065	BGD065	6.5	1/4"	65	1 (100)	
004-127-BGD080	BGD080	8.0	5/16"	108	1 (50)	
004-127-BGD100	BGD100	10.0	3/8"	110	1 (50)	
004-127-BGD130	BGD130	13.0	1/2"	130	1 (50)	

The diamond-lapped, spade-shaped tip will drill many smooth holes in vitrolite, ceramics ceramic tile, porcelain, porcelain tile, limestone, slate, marble, granite, stone, fiberglass and etc. Tungsten carbide tip, unique spear point design for smooth clean finish

# 004 CUTTING AND GRINDING

**BRAIN**<sup>®</sup>  
The Name You Can Always Trust



## 126 BRAIN SDS+ HAMMER DRILL BIT - USA

STOCK CODE	OLD CODE	DIA.	O/L(MM)	W/L(MM)	BOX (CTN)	UNIT PRICE (PCE) \$S
004-126-SDX04110	2818	4.0	110	50		
004-126-SDX05110	2819	5.0	110	50		
004-126-SDX05160	2820	5.0	160	100		
004-126-SDX05210	2821	5.0	210	150		
004-126-SDX55110	2822	5.5	110	50		
004-126-SDX55160	2823	5.5	160	100		
004-126-SDX55210	2824	5.5	210	150		
004-126-SDX06110	2825	6.0	110	50		
004-126-SDX06160	2826	6.0	160	100		
004-126-SDX06210	2827	6.0	210	150		
004-126-SDX65110	2828	6.5	110	50		
004-126-SDX65160	2829	6.5	160	100		
004-126-SDX07110	2830	7.0	110	50		
004-126-SDX07160	2831	7.0	160	100		
004-126-SDX07210	2832	7.0	210	150		
004-126-SDX08110	2833	8.0	110	50		
004-126-SDX08160	2834	8.0	160	100		
004-126-SDX08210	2835	8.0	210	150		
004-126-SDX08260	2836	8.0	260	200		
004-126-SDX08450	2837	8.0	450	400		
004-126-SDX09160	2838	9.0	160	100		
004-126-SDX09210	2839	9.0	210	150		
004-126-SDX10110	2840	10.0	110	50		
004-126-SDX10160	2841	10.0	160	100		
004-126-SDX10210	2842	10.0	210	150		
004-126-SDX10260	2843	10.0	260	200		
004-126-SDX10310	2844	10.0	310	250		
004-126-SDX10360	2845	10.0	360	300		
004-126-SDX10450	2846	10.0	450	400		
004-126-SDX11210	2847	11.0	210	150		
004-126-SDX11260	2848	11.0	260	200		
004-126-SDX12160	2849	12.0	160	100		
004-126-SDX12210	2850	12.0	210	150		
004-126-SDX12250	2851	12.0	250	200		
004-126-SDX12300	2852	12.0	300	250		
004-126-SDX12450	2853	12.0	450	400		
004-126-SDX13150	2854	13.0	150	100		
004-126-SDX13250	2855	13.0	250	200		
004-126-SDX13300	2856	13.0	300	250		
004-126-SDX13450	2857	13.0	450	400		
004-126-SDX14150	2858	14.0	150	100		
004-126-SDX14200	2859	14.0	200	150		
004-126-SDX14250	2860	14.0	250	200		
004-126-SDX14300	2861	14.0	300	250		
004-126-SDX14450	2862	14.0	450	400		
004-126-SDX15150	2863	15.0	150	100		
004-126-SDX15200	2864	15.0	200	150		
004-126-SDX15250	2865	15.0	250	200		
004-126-SDX15300	2866	15.0	300	250		
004-126-SDX15450	2867	15.0	450	400		

L-shaped flute profile improves dust discharge Sand blasted surface

For drilling in granite, concrete, stone, masonry, tiles and marble

The shank is round with dual-arc and dual-key way.

It fits hammer drills with SDS-Plus chucking and 2-slot chucking system.

# 004 CUTTING AND GRINDING

**BRAIN**<sup>®</sup>  
The Name You Can Always Trust



## 126 BRAIN SDS+ HAMMER DRILL BIT - USA (CONTINUE)

STOCK CODE	OLD CODE	DIA.	O/L(MM)	W/L(MM)	BOX (CTN)	UNIT PRICE (PCE) S\$
004-126-SDX16150	2868	16.0	150	100		
004-126-SDX16200	2869	16.0	200	150		
004-126-SDX16300	2870	16.0	300	250		
004-126-SDX16450	2871	16.0	450	400		
004-126-SDX16600	2872	16.0	600	550		
004-126-SDX17200	2873	17.0	200	150		
004-126-SDX18200	2874	18.0	200	150		
004-126-SDX18250	2875	18.0	250	200		
004-126-SDX18300	2876	18.0	300	250		
004-126-SDX18450	2877	18.0	450	400		
004-126-SDX19200	2878	19.0	200	150		
004-126-SDX19450	2879	19.0	450	400		
004-126-SDX20200	2880	20.0	200	150		
004-126-SDX20250	2881	20.0	250	200		
004-126-SDX20300	2882	20.0	300	250		
004-126-SDX20450	2883	20.0	450	400		
004-126-SDX22250	2884	22.0	250	200		
004-126-SDX22450	2885	22.0	450	400		
004-126-SDX24250	2886	24.0	250	200		
004-126-SDX24450	2887	24.0	450	400		
004-126-SDX25250	2888	25.0	250	200		
004-126-SDX25450	2889	25.0	450	400		
004-126-SDX26200	2889A	26.0	200	150		
004-126-SDX26250	2890	26.0	250	200		
004-126-SDX26450	2891	26.0	450	400		

L-shaped flute profile improves dust discharge Sand blasted surface

For drilling in granite, concrete, stone, masonry, tiles and marble

The shank is round with dual-arc and dual-key way.

It fits hammer drills with SDS-Plus chucking and 2-slot chucking system.

**BRAIN**<sup>®</sup>  
The Name You Can Always Trust



## 125 BRAIN MASONRY DRILL BIT - USA

STOCK CODE	OLD CODE	DIA.	CYL(MM)		BOX (CTN)	UNIT PRICE (PCE) S\$
004-125-BMX3.0	2753	3.0	60			
004-125-BMX4.0	2754	4.0	75			
004-125-BMX4.5	2755	4.5	85			
004-125-BMX5.0	2756	5.0	85			
004-125-BMX5.5	2757	5.5	85			
004-125-BMX6.0	2758	6.0	100			
004-125-BMX6.5	2759	6.5	100			
004-125-BMX7.0	2760	7.0	100			
004-125-BMX7.5	2761	7.5	120			
004-125-BMX8.0	2762	8.0	120			
004-125-BMX9.0	2763	9.0	120			
004-125-BMX10.0	2764	10.0	120			
004-125-BMX11.0	2765	11.0	150			
004-125-BMX12.0	2766	12.0	150			
004-125-BMX13.0	2767	13.0	150			
004-125-BMX14.0	2768	14.0	150			
004-125-BMX15.0	2769	15.0	150			
004-125-BMX16.0	2770	16.0	160			
004-125-BMX19.0	2771	19.0	160			
004-125-BMX22.0	2772	22.0	160			
004-125-BMX24.0	2773	24.0	160			
004-125-BMX25.0	2774	25.0	160			

Process: roll forged, milled Finish: chrome plated and sand blast Type of flute: helix

# 004 CUTTING AND GRINDING



## 150 ARMEG SDS MAX DRILL BIT - UK


STOCK CODE	OLD CODE	DIA x O/L - W/L (MM)	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-150-SMX12390	2422	12 x 390 - 250	S Cut		
004-150-SMX12540	2423	12 x 540 - 400	S Cut		
004-150-SMX13390	2424	13 x 390 - 250	S Cut		
004-150-SMX13540	2425	13 x 540 - 400	S Cut		
004-150-SMX14390	2426	14 x 390 - 250	S Cut		
004-150-SMX14540	2427	14 x 540 - 400	S Cut		
004-150-SMX15390	2428	15 x 390 - 250	S Cut		
004-150-SMX15540	2429	15 x 540 - 400	S Cut		
004-150-SMX16390	2430	16 x 390 - 250	X Cut		
004-150-SMX16540	2431	16 x 540 - 400	X Cut		
004-150-SMX18390	2432	18 x 390 - 250	X Cut		
004-150-SMX18540	2433	18 x 540 - 400	X Cut		
004-150-SMX19390	2434	19 x 390 - 250	X Cut		
004-150-SMX19540	2435	19 x 540 - 400	X Cut		
004-150-SMX20370	2436	20 x 370 - 250	X Cut		
004-150-SMX20520	2437	20 x 520 - 400	X Cut		
004-150-SMX22370	2438	22 x 370 - 250	X Cut		
004-150-SMX22520	2439	22 x 520 - 400	X Cut		
004-150-SMX25370	2440	25 x 370 - 250	X Cut		
004-150-SMX25520	2441	25 x 520 - 400	X Cut		
004-150-SMX28370	2442	28 x 370 - 250	X Cut		
004-150-SMX28570	2443	28 x 570 - 400	X Cut		
004-150-SMX30370	2444	30 x 370 - 250	X Cut		
004-150-SMX30570	2445	30 x 570 - 400	X Cut		
004-150-SMX32370	2446	32 x 370 - 250	X Cut		
004-150-SMX32570	2447	32 x 570 - 400	X Cut		
004-150-SMX35570	2449	35 x 570 - 400	X Cut		
004-150-SMX38570	2451	38 x 570 - 400	X Cut		
004-150-SMX40570	2453	40 x 570 - 400	X Cut		

Award winning power tool accessory,

S Cut = Proven single tip design, combined with twin flutes,

provides rapid penetration and a very cost effective method of producing larger diameter holes.

X Cut = Patent protected, crosshead design hammer drills provide a combination of smoother drilling and prolonged life to give users outstanding performance.



## 110 HUNTER SCREW EXTRACTOR SET - Germany

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (SET) S\$
004-110-14492/5	1124A	No. 1 ~ 5	14492/5		
004-110-14492/6	1124B	No. 1 ~ 6	14492/6		
004-110-14492/8	1124C	No. 1 ~ 8	14492/8		

Product made of CV-special steel,

No. 1 ~ 5 For Screw M3 ~ M18, 1/8" ~ 3/4", No. 1 ~ 6 For Screw M3 ~ M24, 1/8" ~ 1"

No. 1 ~ 8 For Screw M3 ~ M50, 1/8" ~ 2"

Use them to remove broken screws, bolts, studs, pipe, and other threaded parts

## 101 SCREW EXTRACTOR SET - Taiwan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (SET) S\$
004-101-SE5B	0518	No. 1 ~ 5	SE5B		
004-101-SE6B	0519	No. 1 ~ 6	SE6B		

Product made of CV steel,

No. 1 ~ 5 For Screw M3 ~ M18, 1/8" ~ 3/4", No. 1 ~ 6 For Screw M3 ~ M24, 1/8" ~ 1"

Use them to remove broken screws, bolts, studs, pipe, and other threaded parts





# 004 CUTTING AND GRINDING



## 170 HANS TIPPED TILE CHISEL - Hong Kong

STOCK CODE	OLD CODE	SIZE	LENGTH	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-170-TTC06	2131	1/4"			50 (500)	
004-170-TTC08	2132	5/16"			50 (300)	
004-170-TTC10	2133	3/8"			40 (240)	
004-170-TTC13	2134	1/2"			20 (120)	

Specially designed for removing tile. Shaped to prevent damage to adjacent tiles.



## 171 HANS CHROME FLAT CHISEL - Taiwan

STOCK CODE	OLD CODE	SIZE	LENGTH	TYPE	BOX (CTN)	UNIT PRICE (DOZ) S\$
004-171-CFC10	3180	3/8"	6"		1 (20)	
004-171-CFC13	3181	1/2"	6"		1 (20)	
004-171-CFC16	3182	5/8"	6"		1 (20)	
004-171-CFC19	3183	3/4"	8"		0.5 (4)	
004-171-CFC25	3184	1"	8"		0.5 (2)	
004-171-CFC32	3184A	1-1/4"	8"		0.5 (2)	


Heat hardened chisel specially built for masonry and concrete renovation works.



## 172 HANS CHROME NAIL PUNCH - Taiwan

STOCK CODE	OLD CODE	SIZE	LENGTH	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-172-CNP4	3164A	1/32"	4"		12 (120)	

Square Head nail punches are made from Tool Steel. Hardened and Tempered.



## 173 HANS BLUE CENTER PUNCH - Taiwan

STOCK CODE	OLD CODE	SIZE	LENGTH	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-173-BCP4	3163A	3/32"	4"		24 (180)	

Hex centre punches. Overall length 4"  
3/32" Dia. Hardened and tempered



## 174 HANS AUTOMATIC CENTER PUNCH - Taiwan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) S\$
004-174-ACP4	0383	4"		12 (300)	

Unique hammer action All-steel solid point.  
Brass body 5/8" Dia. Overall length 6"

# 004 CUTTING AND GRINDING



## 210/211 CONCRETE BAR CUTTERS & BLADES- Taiwan

STOCK CODE	OLD CODE	USE FOR CUTTING(MM) STRIP / ROD / SQUARE	MODEL	BOX (CTN)	UNIT PRICE (SET) S\$
004-210-RC5022	0522	28 / 20 / 18	RC5022		
004-210-RC5028	0523	38 / 26 / 30	RC5028		
004-210-RC5032	0524	40 / 30 / 26	RC5032		
004-211-5022B	0525	Blade 30x10mm	5022		
004-211-5028B	0526	Blade 50x15mm	5028		
004-211-5032B	0527	Blade 50x15mm	5032		

Long handle is attached with each machine.

The blades are made of SKS tool from Japan : JIS G4404.

Frame is made of steel SS41.



## 214/215 ZIM ZEEM BAR CUTTERS & BLADES - Thailand

STOCK CODE	OLD CODE	USE FOR CUTTING(MM) STRIP / ROD / SQUARE	FOR MODEL	BOX (CTN)	UNIT PRICE (SET) S\$
004-214-ZZBC22	ZZBC22	35 / 22 / 20	BC22		
004-214-ZZBC28	ZZBC28	40 / 28 / 24	BC28		
004-214-ZZBC32	ZZBC32	45 / 32 / 26	BC32		
004-215-ZZCB22	ZZCB22	Blade 30x10mm	CB22		
004-215-ZZCB28	ZZCB28	Blade 45x12mm	CB28		
004-215-ZZCB32	ZZCB32	Blade 50x15mm	CB32		

Reinforcing bar cutting machine, heavy duty , hand-operated  
German material.



## 201 BRIAN HD BOLT CUTTER - Japan

STOCK CODE	OLD CODE	DIMENSION	CAP	BOX (CTN)	UNIT PRICE (PCE) S\$
004-201-BC300	1974	12"(300mm)	5.0	1 (20)	
004-201-BC350	1975	14"(350mm)	6.0	1 (20)	
004-201-BC450	1976	18"(450mm)	7.0	1 (10)	
004-201-BC600	1977	24"(600mm)	10.0	1 (8)	
004-201-BC750	1978	30"(750mm)	13.0	1 (5)	
004-201-BC900	1979	36"(900mm)	16.0	1 (4)	
004-201-BC1070	1980	42"(1070mm)	18.0	1 (3)	

Drop-forged blades with high quality steel, body heat treatment, cutting  
edges induction quenched, cutting ability. For cutting bolts, rods, bars and chains, etc.



## 202 BRIAN MINI BOLT CUTTER - Japan

STOCK CODE	OLD CODE	DIMENSION	CAP	BOX (CTN)	UNIT PRICE (PCE) S\$
004-202-BC200	1981	8" (200mm)	3.5	6 (60)	

Blade material: High carbon steel

Blade hardness: HRC48-52

# 004 CUTTING AND GRINDING

**NUSHARP™**



## 164 NUSHARP MULTIPURPOSE ELECTRICIAN'S SHEAR - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS946	3209A	138mm-5.1/2"	946	6 (48)	

Excellent for cutting soft cable up 22mm, insulation materials, electrical tape cable tie and many other materials. Specially designed for repair service use.( Cutting length: 42mm )

**NUSHARP™**



## 164 NUSHARP ELECTRICIAN'S SHEAR - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS945820	3209B	138mm-5.1/2"	946-820	6 (48)	

Excellent for cutting soft cable up 22mm, insulation materials, electrical tape cable tie and many other materials. Specially designed for repair service use.( Cutting length: 42mm )

**NUSHARP™**



## 164 NUSHARP MULTIPURPOSE SHEAR -Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS929220	3208B	185mm-7.1/4"	929-220	6 (48)	

Excellent for wood sticks, dowel rods, cardboard, rope, cord, wire, many other materials( Cutting length: 42mm )

**NUSHARP™**



## 164 NUSHARP MULTIPURPOSE SHEAR -Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS985	3209	205mm-8"	985	6 (48)	

Excellent for cutting wood sticks, dowel rods, cardboard, rope, cord, wire, many other materials, and wire notch cuts up to dia. 2.5mm soft metal wire. ( Cutting length: 50mm )

**NUSHARP™**



## 164 NUSHARP MULTIPURPOSE SHEAR -Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS925220	3208A	190mm-7.1/2"	925-220	6 (48)	

Excellent for wood sticks, dowel rods, cardboard, rope, cord, wire, many other materials( Cutting length: 42mm )

**NUSHARP™**




## 164 NUSHARP LIGHT DUTY CABLE CUTTER - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS936220	3208C	165mm-6.1/2"	936-220	6 (48)	

Excellent for wood sticks, dowel rods, cardboard, rope, cord, wire, many other materials( Cutting length: 42mm )

# 004 CUTTING AND GRINDING

**NUSHARP™**



## 164 NUSHARP GARDEN TRIMMING SHEAR - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS011	3206	205mm-8"	011	6 (48)	

Excellent for pruning flowers, harvesting fruits, shearing cardboard, plastic pots, plant containers, live branches up to 12mm and many other materials ( Cutting length: 50mm )

**NUSHARP™**



## 164 NUSHARP GARDEN MULTIPURPOSE SHEAR - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS013	3206A	215mm-8.1/2"	013	6 (48)	

Excellent for pruning flowers, harvesting fruits, shearing cardboard, plastic pots, plant containers, live branches up to 12mm and many other materials ( Cutting length: 60mm )

**NUSHARP™**



## 164 NUSHARP GARDEN BYPASS SHEAR - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS015	3206B	205mm-8"	015	6 (48)	

Excellent for pruning live branches up to 22mm, plastic containers, plastic, and many other materials( Cutting length: 22mm )

**NUSHARP™**



## 164 NUSHARP MULTIPURPOSE SHEAR - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS925	3206C	190mm-7.1/2"	925	6 (48)	

Great for both light and heavy duty cutting wire, wood branches, dowel rods, rope, cord, cardboard, leather and many other materials( Cutting length: 42mm )

**NUSHARP™**



## 164 NUSHARP MULTIPURPOSE SHEAR - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS929	3206D	185mm-7.1/4"	929	6 (48)	

Great for both light and heavy duty cutting wire, wood branches, dowel rods, rope, cord, cardboard, leather and many other materials ( Cutting length: 42mm )

**NUSHARP™**



## 164 NUSHARP LIGHT DUTY CABLE CUTTER - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS936	3206E	165mm-6.1/2"	936	6 (48)	

Excellent for up to dia. 10mm soft cable, wood sticks, dowel rods, animal nail, rope, cord, many other Materials ( Cutting length: 10mm )

# 004 CUTTING AND GRINDING

**NUSHARP™**



## 164 NUSHARP LIGHT DUTY SHEAR - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS325	3207B	205mm-8"	325	6 (48)	

Excellent for precision cutting cloth, canvas, plastic, tape, string, film, paper, poultry and many other materials ( Cutting length: 80mm )

**NUSHARP™**



## 164 NUSHARP HEAVY DUTY SHEAR - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS335	3207	205mm-8"	335	6 (48)	

Perfect for cutting heavy cloth, fabric, rubber, upholstery, rope, leather, cardboard, poultry and many other materials ( Cutting length: 65mm )

**NUSHARP™**



## 164 NUSHARP HEAVY DUTY TAILOR'S SHEAR - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS339	3207A	254mm-10"	339	6 (48)	

Perfect for cutting heavy cloth, fabric, rubber, upholstery, rope, leather, cardboard, poultry and many other materials ( Cutting length: 121mm )

**NUSHARP™**



## 164 NUSHARP FIBER OPTIC KEVLAR® SHEAR - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS951	3209C	160mm-6.1/4"	951	12 (72)	

Specially designed for cutting KEVLAR® materials, excellent for cutting plastic canvas, upholstery, headlines, cloth, fabric, string and many other materials

**NUSHARP™**




## 164 NUSHARP MULTIPURPOSE SHEAR - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS921	3208	145mm-5.3/4"	921	12 (72)	

Excellent for cutting rubber, upholstery, plastic canvas, headlines, cloth, fabric, string and many other materials ( Cutting length: 32mm )

**NUSHARP™**



## 164 NUSHARP FIBER OPTIC KEVLAR® CUTTER - Taiwan

STOCK CODE	OLD CODE	DIMENSION	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-164-NS957	3209D	145mm-5.3/4"	957	12 (72)	

Specially designed for cutting KEVLAR® materials, excellent for cutting rubber, upholstery, plastic canvas, headlines, cloth, fabric, string and many other materials ( Cutting length: 32mm )

# 004 CUTTING AND GRINDING



## 162 BRIAN AVIATION SNIP (S) - Taiwan

STOCK CODE	OLD CODE	SIZE	COLOR	BOX (CTN)	UNIT PRICE (PCE) S\$
004-162-AS1031S	0645A	103-1-S Straight	Yellow	6 (60)	

Finish: nickle alloy polished. Length: 10"

Material: carbon steel, chrome vanadium

To cut cold rolled steel sheets from 1.2 to 1.5mm and stainless steel sheets from 0.8 to 1mm  
Straight Cut



## 162 BRIAN AVIATION SNIP (R) - Taiwan

STOCK CODE	OLD CODE	SIZE	COLOR	BOX (CTN)	UNIT PRICE (PCE) S\$
004-162-AS1031R	0646A	103-1-R Right	Green	6 (60)	

Finish: nickle alloy polished. Length: 10"

Material: carbon steel, chrome vanadium

To cut cold rolled steel sheets from 1.2 to 1.5mm and stainless steel sheets from 0.8 to 1mm  
Right Cut



## 162 BRIAN AVIATION SNIP (L) - Taiwan

STOCK CODE	OLD CODE	SIZE	COLOR	BOX (CTN)	UNIT PRICE (PCE) S\$
004-162-AS1031L	0647A	103-1-L Left	Red	6 (60)	

Finish: nickle alloy polished. Length: 10"

Material: carbon steel, chrome vanadium

To cut cold rolled steel sheets from 1.2 to 1.5mm and stainless steel sheets from 0.8 to 1mm  
Left Cut



## 166 BRIAN HD PVC PIPE CUTTER - Taiwan

STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-166-PPC42	3339	42mm-1.5/8"	PPC42	10 (60)	

Heavy Duty Pattern. For PVC conduit pipes and similar materials.

Size: 42mm ( 1-5/8" ). Manganese steel blade, special heat treatment, die casting aluminium handle.



## 181 HANS GRASS CUTTER'S BLADE - Taiwan

STOCK CODE	OLD CODE	SIZE	COLOR	BOX (CTN)	UNIT PRICE (PCE) S\$
004-181-1272	0918	12"x 72mm x1.6	Yellow	20 (40)	
004-181-1290	0919	12"x 90mm x1.6	Red	20 (40)	
004-181-1490	0919A	14"x 90mm x1.6	Black	20 (40)	

Suitable for cutting grass at golf court, airport, football court, in gardens, parks, etc...

the blade is high temperature salt-bath holistic quenching, tempering for medium temperature,



## 040 EGL SUPER FOLDING SAW - Japan

STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-040-SI240	1816	240mm 10T	SI-240	12 (120)	

ABS handle with rubber provides easy-handling and working

impulse hardening edges remain sharp 3 times longer than conventional saw.

Hard chrome plated ensure higher resistance against rust and corrosion.




# 004 CUTTING AND GRINDING

UPDATED ON 27/09/17



## 176 HANS GARDEN BYPASS LOPPER - Taiwan



STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-176-GL4008	0942	11-3/4"	GL4008	1 (36)	

Garden bypass lopper. Plastic handle  
High carbon steel blade  
Quality rubber grip handle



## 178 HANS SS MOWING CUTTER - Taiwan



STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-178-GT901QS	0950	12-1/4"	GT901QS	1 (72)	

Gardening mowing cutter  
Material : S/steel  
Quality rubber grip handle



## 177 HANS BRACH SHEAR - Taiwan




STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-177-SS805	0939A	9" X 20"	SS805	1 (24)	

Brach shear. Solid wooden handle  
High carbon steel blade



六角軸



## 234 ONISHI NO.2 AUGER BIT - Japan

STOCK CODE	OLD CODE	DIA.	O/L(MM)	T/L(MM)	BOX (CTN)	UNIT PRICE (PCE) S\$
004-234-O2AB06	O2AB06	6.0	185	120	12 (120)	
004-234-O2AB08	O2AB08	8.0	185	120	12 (120)	
004-234-O2AB10	O2AB10	10.0	185	120	12 (120)	
004-234-O2AB11	O2AB11	11.0	185	120	12 (120)	
004-234-O2AB13	O2AB13	13.0	185	120	12 (120)	
004-234-O2AB14	O2AB14	14.0	205	135	12 (120)	
004-234-O2AB16	O2AB16	16.0	205	135	12 (120)	
004-234-O2AB19	O2AB19	19.0	205	135	6 (60)	
004-234-O2AB20	O2AB20	20.0	205	135	6 (60)	
004-234-O2AB22	O2AB22	22.0	205	135	6 (60)	
004-234-O2AB25	O2AB25	25.0	230	160	6 (60)	
004-234-O2AB28	O2AB28	28.0	230	160	6 (60)	
004-234-O2AB32	O2AB32	32.0	230	160	6 (60)	
004-234-O2AB38	O2AB38	38.0	230	160	6 (60)	

Made by material carbon steel SC55C (JISG4051)  
No.2 Standard type



# 004 CUTTING AND GRINDING

UPDATED ON 02/07/15



## 184 HANS CAMPING AXE - Taiwan

STOCK CODE	OLD CODE	SIZE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-184-CA15	1035A	1-1/2 LBS	15"	6 (24)	

Drop forged carbon steel  
Fine polished surface  
Wooden handle

## 167 MULTI PURPOSE KITCHEN SCISSOR - Taiwan

STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-167-SK3912	0130	8" 210MM	SK3912	12 (96)	

PP handle, 1.8mm thickness  
Kitchen usages



## 225 HEAVY DUTY PRUNING SHEAR - Taiwan

STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-225-SH106	0129A	8" 200MM	SH106	6 (72)	


Professional bypass type



## 183 HANS TOP CUTTER - China

STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-183-TOP200	3161A	8" 200MM		6 (60)	

Head polished black finished  
Drop Forged, Carbon Steel



## 217 HANS HD UTILITY CUTTER - Taiwan

STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-217-HS4112	0902		HS4112	1 (24)	

HANS® Heavy duty utility knife w/holster and extra 3 spare blades come with blister card



## 217 HANS HD UTILITY CUTTER - Taiwan

STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-217-HS4115B	0903		HS4115B	8 (48)	

HANS® Heavy duty utility knife and extra 3 spare blades come with blister card





# 004 CUTTING AND GRINDING

**HITZ™**




## 182 HITZ GRASS TRIMMER LINE - Taiwan

STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (COIL) S\$
004-182-GTL1LB	GTL1LB	1 LBS	BR21	1 (36)	
004-182-GTL3LB	GTL3LB	3 LBS	BR23	1 (8)	
004-182-GTL5LB	GTL5LB	5 LBS	BR25	1 (9)	

Diameter:  $\Phi$  2.4mm Shapes: star

## 120 UTILITY CUTTER - Hong Kong



STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (DOZ) S\$
004-120-NTM80	2129	BIG	M80	5 (50)	

Blade dimension: 18 x 100 x 0.5mm

High quality plastic material

**HANS®**  
The Name You Can Always Trust



## 211 HANS UTILITY CUTTER'S BLADE (A) - Taiwan

STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-211-HS4132.7	0896	7 BREAKS	HS4132-7	200 (2400)	

Size: 18mm W x 100mm L x 0.5mm T

Material: MK-5 steel

For heavy duty cutting of corrugated material, insulation, matt board, plastic, and wallpaper.

**HANS®**  
The Name You Can Always Trust



## 211 HANS UTILITY CUTTER'S BLADE (B) - Taiwan

STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-211-HS4132.14	0896A	14 BREAKS	HS4132-14	200 (2400)	

Size: 18mm W x 100mm L x 0.5mm T

Material: MK-5 steel

For heavy duty cutting of corrugated material, insulation, matt board, plastic, and wallpaper.

**HANS®**  
The Name You Can Always Trust



## 211 HANS UTILITY CUTTER'S BLADE (C) - Taiwan

STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-211-HS4133.12	0897	12 BREAKS	HS4133-12	200 (3200)	

Size: 9mm W x 80mm L x 0.4mm T

Material: MK-5 steel

Used for lightweight cutting of cartons, core, foam, plastic and wallpaper.

**HANS®**  
The Name You Can Always Trust



## 211 HANS UTILITY CUTTER'S BLADE (D) - Taiwan

STOCK CODE	OLD CODE	SIZE	MODEL	BOX (CTN)	UNIT PRICE (PCE) S\$
004-211-HS4134.8	0897A	8 BREAKS	HS4134-8	200 (3200)	

Size: 9mm W x 80mm L x 0.4mm T ( 8 Breaks )

Material: MK-5 steel

Used for lightweight cutting of cartons, core, foam, plastic and wallpaper.

# 004 CUTTING AND GRINDING

UPDATED ON 020517

**BRAIN®**



## 140/141 BRAIN DRILL CHUCKS & KEY - Germany

STOCK CODE	OLD CODE	MOUNT	TYPE	BOX (CTN)	UNIT PRICE (PCE) \$S
004-140-1165	1165	3/8 X 24UNF	10 L	5 (40)	
004-140-1166	1167	3/8 X 24UNF	13 L	5 (40)	
004-140-1167	1166	1/2 X 20UNF	10 L	5 (40)	
004-140-1168	1168	1/2 X 20UNF	13 L	5 (40)	
004-141-1169	1169	S2 - 13MM	KEY	16 (80)	

Suitable for general electric drills, pneumatic, impact electric drills and bench drills, etc. It's a quality chuck for professional & DIY consumers.

**BRIAN®**  
Trusted By Professionals



## 142 BRIAN SDS PLUS ADAPTOR - Japan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) \$S
004-142-1922	1922	1/2 X 20UNF		50 (400)	

For use with expert sds+. Rotary hammer drills and other similar machine.



## 116 HAND DRILL WITH WOODEN HANDLE - India

STOCK CODE	OLD CODE	DIMENSION		TYPE	BOX (CTN)	UNIT PRICE (PCE) \$S
004-116-MHD14	3159	1/4"	12"	MANUAL	1 (25)	
004-116-MHD38	3160	3/8"	12"	MANUAL	1 (25)	

With 3 jaw Chuck



## 091 TAP WRENCH - Taiwan

STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) \$S
004-091-TWM6	OS-0013	M1~M6			
004-091-TWM10	OS-0014	M3~M10			
004-091-TWM12	OS-0015	M4~M12			
004-091-TWM20	OS-0016	M6~M20			
004-091-TWM10R	OS-0014A	M3~M10	RATCHET		
004-091-TWM12R	OS-0015A	M4~M12	RATCHET		

## 092 HAND TAP SET - Taiwan



STOCK CODE	OLD CODE	DIMENSION	TYPE	BOX (CTN)	UNIT PRICE (PCE) \$S
004-092-HTM3	OS-0017	M3 x 0.50			
004-092-HTM4	OS-0018	M4 x 0.70			
004-092-HTM5	OS-0019	M5 x 0.80			
004-092-HTM6	OS-0020	M6 x 1.00			
004-092-HTM8	OS-0021	M8 x 1.25			
004-092-HTM10	OS-0022	M10 x 1.50			
004-092-HTM12	OS-0023	M12 x 1.75			
004-092-HTM14	OS-0024	M14 x 2.00			
004-092-HTM16	OS-0025	M16 x 2.00			
004-092-HTM20A	OS-0025A	M20 x 1.50			
004-092-HTM20B	OS-0025B	M20 x 2.50			

# 004 CUTTING AND GRINDING

UPDATED ON 27/09/17



## 141 TIGER PRUNING SHEAR 700 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-141-TS-700	0120	CURVE	7"	12 (120)	

Ergonomically designed-comfortable, safety and efficient.

Blades are wholly heat treated, not just cutting edges.

Designed ideally for pruning both live and dead wood, hard branches of plants and others.

Curve tip



## 141 TIGER PRUNING SHEAR 702 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-141-TS-702	0121	STRAIGHT	7"	12 (120)	

Ergonomically designed-comfortable, safety and efficient.

Blades are wholly heat treated, not just cutting edges.

Designed ideally for pruning both live and dead wood, hard branches of plants and others.

Straight tip



## 141 TIGER PRUNING SHEAR G170 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-141-TS-G170	0125	CURVE	6.1/2"	12 (120)	

Ergonomically designed-comfortable, safety and efficient.

Carbon steel blade, PVC handle

Curve tip



## 141 TIGER PRUNING SHEAR 1701 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-141-TS-1701	TS-1701	CURVE	7"	12 (120)	

Ergonomically designed-comfortable, safety and efficient.

Carbon steel blade, PVC handle

Curve tip



## 141 TIGER PRUNING SHEAR 1901 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-141-TS-1901	TS-1901	STRAIGHT	7.1/2"	12 (120)	

Ergonomically designed-comfortable, safety and efficient.

Carbon steel blade, PVC handle

Straight tip



## 143 TIGER PRUNING SHEAR K808 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-143-TS-K808	TS-K808	CURVE	8"	12 (72)	

This pruner requires less effort than conventional models and offers maximum comfort on continuous pruning. Easily cuts green stems and small branches.

Clean and accurate cuts for pliable branches. Strongest heavy duty materials,

High quality hand pruners. Shock absorbing pruning tool.

Curve tip





## 143 TIGER PRUNING SHEAR K705 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-143-TS-K705	TS-K705	CURVE	7.1/4"	10 (60)	

A higher quality pruners designed for hobby gardeners. High-strength, light-weight, simple, very stable blade adjustment system.  
Strong blade made of high carbon steel for clean and precise cut  
Curve tip



## 143 TIGER PRUNING SHEAR K706 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-143-TS-K706	TS-K706	STRAIGHT	7.1/2"	10 (60)	

A higher quality pruners designed for hobby gardeners. High-strength, light-weight, simple, very stable blade adjustment system.  
Strong blade made of high carbon steel for clean and precise cut  
Straight tip



## 143 TIGER PRUNING SHEAR K800 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-143-TS-K800	TS-K800	CURVE	8"	12 (120)	

Light, sturdy and practical, comfortable rubber grip handle, locking mechanism  
Strong blade made of high carbon steel for clean and precise cut  
For use in tree plantations, crops plantation, farm work, home garden pruning, fruit picking.  
Curve tip



## 143 TIGER PRUNING SHEAR K802 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-143-TS-K802	TS-K802	STRAIGHT	8"	12 (120)	

Light, sturdy and practical, comfortable rubber grip handle, locking mechanism  
Strong blade made of high carbon steel for clean and precise cut  
For use in tree plantations, crops plantation, farm work, home garden pruning, fruit picking.  
Straight tip



## 143 TIGER PRUNING SHEAR K8311 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-143-TS-K8311	TS-K8311	CURVE	8"	12 (72)	

New ergonomical design, sharp high carbon steel blades.  
Full aluminium handle c/w TPR grip. For strong & lasting usage.  
Special hole can cut wire under 1.2mm diameter.  
Automatically bounce unlock when press on grip.  
Curve tip



## 143 TIGER PRUNING SHEAR K8313 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-143-TS-K8313	TS-K8313	STRAIGHT	8"	12 (72)	

New ergonomical design, sharp high carbon steel blades.  
Full aluminium handle c/w TPR grip. For strong & lasting usage.  
Special hole can cut wire under 1.2mm diameter.  
Automatically bounce unlock when press on grip.  
Straight tip



# 004 CUTTING AND GRINDING

UPDATED ON 27/09/17



## 143 TIGER PRUNING SHEAR K822 - Taiwan



STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-143-TS-K822	TS-K822	CURVE	7.1/4"	12 (72)	

Light, sturdy and practical. Comfortable handle, cut and hold feature, locking mechanism  
 Strong blade made of high carbon steel for clean and precise cut  
 Carbon steel blades are wholly heat treated, not just cutting edges  
 Uses: Park, yard, tree plantations, crops plantation, farm work, garden pruning, fruit picking.



## 142 TIGER GARDEN SHEAR 560 - Taiwan



STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-142-TS-560	TS-560	CURVE	6"	12 (120)	

Easy-to-grip handle  
 Sharp narrow blades for hard to reach branches  
 Perfect for pruning small and medium size branches



## 142 TIGER GARDEN SHEAR 640 - Taiwan



STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-142-TS-640	TS-640	STRAIGHT	6.2/3"	12 (120)	

Easy-to-grip handle  
 Sharp narrow blades for hard to reach branches  
 Perfect for pruning small and medium size branches



## 142 TIGER GARDEN SHEAR 690 - Taiwan



STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-142-TS-690	TS-690	STRAIGHT	8"	12 (120)	

Easy-to-grip handle  
 Sharp narrow blades for hard to reach branches  
 Perfect for pruning small and medium size branches



## 142 TIGER M.F. GARDEN SHEAR K6812HR - Taiwan



STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-142-TS-K6812HR	TS-K6812HR	STRAIGHT	9.1/4"	12 (72)	

Light weight aluminium handle, strong, ergonomic designed with PVC non-slip coating.  
 Durable high carbon steel SK5 blades, hard chrome plating resists rust.  
 Ideal for floral, bonsai and craft.  
 Cutting capacity: 10mm



## 145 TIGER S.S. GARDEN SHEAR S7031 - Taiwan



STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-145-TS-S7031	TS-S7031	STRAIGHT	7.1/2"	12 (120)	

Light, sturdy and practical, ergonomic safety handle, stainless steel blade,  
 Locking mechanism. Straight tip with protection cap.  
 Application: Park, yard, tree plantations, crops plantation, farm work,  
 home garden pruning, fruit picking.



## 145 TIGER S.S. GARDEN SHEAR S7190 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-145-TS-S7190	TS-S7190	CURVE	7"	12 (120)	

Light, sturdy and practical, ergonomic safety handle, stainless steel blade, Locking mechanism

Application: Park, yard, tree plantations, crops plantation, farm work, home garden pruning, fruit picking.



## 145 TIGER S.S. GARDEN SHEAR S7191 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-145-TS-S7191	TS-S7191	STRAIGHT	8"	12 (120)	

Light, sturdy and practical, ergonomic safety handle, stainless steel blade, Locking mechanism

Application: Park, yard, tree plantations, crops plantation, farm work, home garden pruning, fruit picking.



## 145 TIGER S.S. GARDEN SHEAR S7923 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-145-TS-S7923	TS-S7923	STRAIGHT	8"	12 (120)	

Light, sturdy and practical, ergonomic safety handle, stainless steel blade, Locking mechanism

Application: Park, yard, tree plantations, crops plantation, farm work, home garden pruning, fruit picking.



## 144 TIGER SWIVEL HANDLE SHEAR 8506 - China

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-144-TS-8506	TS-8506	360° ROTARY TURN	14.1/3"	12 (48)	

High carbon steel - sharp and lasting

360 degree full turn swivel head

Ergonomically designed - comfortable, safety and efficient

Length: 380mm



## 144 TIGER FOLDING PRUNING SAW 8524 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-144-TS-8524	TS-8524	FOLDABLE	9.5"	12 (72)	

Foldable, 240mm.

Use in woodwork, DIY home, mountain climbing, camping and landscaping..



## 144 TIGER ERGO HEDGE SHEAR 8533 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-144-TS-8533	TS-8533	STRAIGHT	17.1/3"	1 (12)	

Ergonomic design pruning shear, handy & light weight

Comfortable rubber grip handle.

Tension adjustable system.

# 004 CUTTING AND GRINDING



## 144 TIGER LONG ARM GRASS SHEAR H9521 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-144-TS-H9521	TS-H9521	360° ROTARY TURN	1.3M	1 (6)	

Quality pole with sharp razor blade, adjustable head for different cutting angles  
Just press trigger with single hand, and another hand to support on the handle  
Built in caster wheel to help on smoothing the cutting process, total Length: 1.3meter  
Need not to bend over to cut grass anymore!



## 144 TIGER TELESCOPIC LOPPING SHEAR H9866 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-144-TS-H9866	TS-H9866	HEAVY DUTY	1.8~2.4M	1 (6)	

Size: 1.8~2.4M (4 sections telescopic aluminium tube)  
The lopper is a large tool used for lopping off or pruning twigs and branches of trees and large shrubs up to 40mm in diameter, adjustable 180 degree, easily hook down the branches. Velcro hold strap, TPR soft grips handle.



## 144 TIGER TELESCOPIC PRUNER H9622 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-144-TS-H9622	TS-H9622	PRUNER/SAW (POLE)	1.8~3.0M	1 (6)	

Ideal for cutting small branches and plucking fruits with cut and hold feature (detachable)  
Flexible Long-Arm Pruner (Extend from 1.8meter, 2.1meter, 2.4meter, 2.7meter to 3.0meter)  
Aluminium handle, lightweight and anti-rust yet durable  
Available slot for adding on 12" pruning saw ( Included )  
Cut less than 9.0mm+- wet wood  
180 degree rotating fatigue-free handle with plastic assist



## 144 TIGER TREE PRUNER PS9313-BA9310 - Taiwan

STOCK CODE	OLD CODE	TYPE	LENGTH	BOX (CTN)	UNIT PRICE (PCE) S\$
004-144-TS-PS9313	TS-PS9313	PRUNER/SAW (POLE)	48"~96"	1 (6)	
004-144-TS-PB9310	TS-PB9310	PRUNER (POLE)	48"~96"	1 (6)	
004-144-TS-BA9310	TS-BA9310	PRUNER ONLY	10"	1 (24)	

\*PS9313 : Tree Pruner with extension pole 1.2~2.4M (48"~96") and saw  
\*PB9310 : Tree Pruner with extension pole 1.2~2.4M (48"~96")  
\*BA9310 : Tree Pruner 10" Only